

INDEX

A

- abdominal surgery 40–2
 - indications and contraindications 40
 - post-Caesarean intra-cervical fistulae 41–2
 - selection of patients for repair 42
 - ureteric fistulae 42
 - vault fistulae 40–1
- Addis Ababa methods, *vs* Katsina methods 55
- anaesthetic 21
- anal sphincter injury repairs 44–5
 - immediate *vs* secondary 44
- antibiotic cover 43
- approaches to fistula repair compared 55
- audit 54

B

- bladder, prolapse 12
- bladder stones 31–2
- ‘bladder training’, contraindications 52
- blocked urethra 31
- books, articles and videos* 56–7

C

- Caesarean section, prevention of fistulae 8–9
- classification 4
 - beginner cases 10–12
 - complex cases 12–13
 - danger areas for ureters 37
- comparison of approaches to fistula repair 55
- conservative management, early cases 8–9

D

- diagnosis 14–18
 - history-taking 14–15
 - inspection 15–18
 - investigations 18
 - palpation 16
 - post-partum stress 18

- rectal fistulae 18
- ureteric fistulae 16–18
- discharge, pre-discharge advice 53
- drinking, postoperative care 49
- dye test 17, 29

E

- episiotomies 31
- extensive fistulae 7, 12–13
 - see also* classification

F

- fat grafts for fistula repair 43
- fibromuscular urethro-vesical sling,
 - prevention of stress incontinence 35–6
- fistula repair, approaches compared 55
- fluid intake, postoperative care 49
- follow-up consultation 53
- foot drop, indicator of VVF 3

G

- gentamicin 43

H

- history-taking 14–15
- hydration (preoperative) 19–20
 - reasons for 37

I

- iatrogenic injury, post-Caesarean intra-cervical fistulae 41–2
- incidence of VVF 1
- incidence of VVF repair 1
- infection
 - and secondary breakdown 52
 - urinary infections 53
- instruments 21
- intermediate cases 33–43
- intra-cervical fistulae 4–6, 40–1
 - post-Caesarean 41–2
- investigations 18

- J**
 juxta-cervical fistulae 4–6, 12, 36, 39
 juxta-urethral fistulae 4, 5, 33–6, 38
- K**
 Katsina methods, *vs* Addis Ababa methods 55
 ketamine 21
- L**
 labial fat grafts for fistula repair 43
 lumbar nerves, pressure injury 3
- M**
 methylene blue dye test 17, 29
 metronidazole 43
 mid-vaginal fistulae 4, 10–11
- N**
 needles 22
- O**
 obstructed labour, ischemic injury sites 3–4
 operating table 22
 operation (easy case) 24–30
 duration 32
 initial assessment 25
 instruments 21
 lighting 23
 patient position 23–4
 surgeon's position 24
 completion 29–30
 dye test 29
 operation (intermediate cases) 33–43
 detached juxta-urethral fistulae 34–6
 detached urethra 34–6
 easy intra-cervical fistulae 40
 scarred juxta-urethral fistulae 33–4
 simple juxta-cervical fistulae 39
 smaller juxta-cervical fistulae 36–8, 40
 operation problems/difficulties 31–2
 bladder stones 31–2
 blocked urethra 31
 episiotomies 31
 ureteric involvements 32
- P**
 palpation 16
- post-Caesarean intra-cervical fistulae 41–2
 post-partum stress 18
 postoperative care 46–54
 catheter removal 51–2
 drainage
 blocked catheter 48–9
 closed *vs* open 46–8
 drinking 49
 dryness 50
 causes of wetness 50
 other aspects 50–2
 postoperative follow-up 52–3
 pre-discharge advice 53
 preoperative preparation 19–20
 hydration 19–20
 prognosis 7
- R**
 rectal fistulae 18
 repair failure, early/late leaks, prognosis 52
- S**
 sacral nerves, pressure injury 3
 scar, amount 7
 secondary breakdown, due to infection 52
 selection of cases 18
 abominal repair 42
 beginner cases 10–12
 complex cases 12–13
 intermediate cases 33–43
 sexual relations 53, 54
 stress incontinence
 fibromuscular urethro-vesical sling 35–6
 following complex repairs 53–4
 sutures 22
- T**
 tears, lower uterine segment 8
 time of fistula repair 9
- U**
 ureteric catheters 37
 substitutes 37
 ureteric fistulae 16–18, 42–3
 ureteric orifices 37
 ureters
 position 37

- protection of orifices 37
- urethra, blocked 31
- urethral catheter, clamping 37
- urethral leakage 50
- urethral stricture 54
- urinary infections 53
- uterus
 - lower segment tears 8
 - rupture, emergency surgery 40

- V
- vaginal defects, anterior wall 16
- vaginal stenosis 16
- vault fistulae 40–1
 - indications for abdominal surgery 40–1
- videos* 56–7
- VVF
 - classification 4
 - size 6–7

